L Number	Hits	Search Text	DB	Time stamp
1	2351	network$4 and (beacon same signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/13 18:39
2	538	(network$4 and (beacon same signal)) and (lan wan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/13 18:29
3	197	(network$4 and (beacon same signal)) and (lan wan)	USPAT	2004/06/13 18:29
4	191	((network$4 and (beacon same signal)) and (lan wan)) and (limit$4 threshold$4 max$4 maximum greater less)	USPAT	2004/06/13 18:32
5	180	((network$4 and (beacon same signal)) and (lan wan)) and ((limit$4 threshold$4 max$4 maximum) and (greater less compar$4))	USPAT	2004/06/13 18:40
6	81	((network$4 and (beacon same signal)) and (lan wan)) and ((first second) same address$4)	USPAT	2004/06/13 18:33
7	287	client$3 and (beacon same signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/13 18:39
8	88	client$3 and (beacon same signal)	USPAT; DERWENT	2004/06/13 18:39
9	29	(client$3 and (beacon same signal)) and ((first second) same address$4) and ((frequenc$4 limit$4 threshold$4 max$4 maximum) and (greater less compar$4))	USPAT; DERWENT	2004/06/13 18:47
10	59	(client$3 and (beacon same signal)) not ((client$3 and (beacon same signal)) and ((first second) same address$4) and ((frequenc$4 limit$4 threshold$4 max$4 maximum) and (greater less compar$4)))	USPAT; DERWENT	2004/06/13 18:48
-	8033	client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:28
-	287	(client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:31
-	211	((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and configur$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:31
-	39	(((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:32
-	32	((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:33
-	31	(((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and previous$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:00

-	97	((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 05:48
-	23	(((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 05:50
-	74	(((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4)))) and (second near$5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 05:50
-	32	(((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 old$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:00
-	32	(((((client and (server provider) and (tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 old$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:01
-	0	((((((client and (server provider) and (tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 old$3)) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:01
-	10	(((((client.ab. and (server provider).ab. and (tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4))) and (previous$4 old$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:08
-	25	(((((client.ab. and (server provider).ab. and (tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and (previous$4 old$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:09
-	29	(((((client.ab. and (server provider).ab. and (tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:09
-	479	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:10

-	191	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:49
-	96	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 06:11
-	29	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:38
-	6	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and beacon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:52
-	9	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3 and (beacon ack acknowledgement)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:39
-	7	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3 and (beacon ack acknowledgement)) not ((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and beacon)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:39
-	45	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ip and (ack beacon acknowledgement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:50
-	25	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:50
-	6	((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ip and (ack beacon acknowledgement)) not (((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:51

-	17759	((((((tabl$3 databas$3) and (limit$4 max$5 maximum$3 threshold$3)))) and (encrypt$4 decrypt$4))) and (ip and beacon signal acknowledgement ack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:53
-	463	((((((tabl$3 databas$3) and (limit$4 max$5 maximum$3 threshold$3)))) and (encrypt$4 decrypt$4))) and (ip and beacon signal acknowledgement ack) and ((first second) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:55
-	462	(((((((tabl$3 databas$3) and (limit$4 max$5 maximum$3 threshold$3)))) and (encrypt$4 decrypt$4))) and (ip and beacon signal acknowledgement ack) and ((first second) adj address)) not (((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ip and (ack beacon acknowledgement)) not ((((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same · (access$4 authoriz$4 authenticat$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:54
-	25	((((((tabl$3 databas$3) and (limit$4 max$5 maximum$3 threshold$3).ab.))) and (encrypt$4 decrypt$4))) and (ip and beacon signal acknowledgement ack) and ((first second) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:55
-	30035554	not (((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ip and (ack beacon acknowledgement)) not ((((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:58

| - | 24 | ((((((((tabl$3 databas$3) and (limit$4 max$5 maximum$3 threshold$3).ab.
))) and (encrypt$4 decrypt$4))) and (ip and beacon signal acknowledgement ack) and ((first second) adj address)) not ((((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)
) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ip and (ack beacon acknowledgement)) not (((((((((tabl$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3)
) and limit$4.ab.)) and (encrypt$4 decrypt$4))) and ((previous$4 old$3) near$5 address) and ip and filter$3) not (((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4
) and limit$4.ab.) and (configur$4 same limit$4)) not ((((((client and (server provider) and (tab$3 databas$3) and limit$4 and (max$5 maximum$3 threshold$3) and filter$4
) and limit$4.ab.) and (configur$4 same limit$4)) and (encrypt$4 decrypt$4)) and ip) and (previous$4 same (access$4 authoriz$4 authenticat$4)))) | USPAT;
US-PGPUB;
EPO; JPO;
DERWENT;
IBM_TDB | 2004/06/13 18:27 |